



Calhoun: The NPS Institutional Archive

Theses and Dissertations

Thesis Collection

1948-08

Stabilization of clay soils by electrical methods.

Stephenson, William B.

Rensselaer Polytechnic Institute

<http://hdl.handle.net/10945/6545>



Calhoun is a project of the Dudley Knox Library at NPS, furthering the precepts and goals of open government and government transparency. All information contained herein has been approved for release by the NPS Public Affairs Officer.

Dudley Knox Library / Naval Postgraduate School
411 Dyer Road / 1 University Circle
Monterey, California USA 93943

<http://www.nps.edu/library>

**STABILIZATION OF CLAY SOILS BY
ELECTRICAL METHODS**

WILLIAM B. STEPHENSON

Thesis
S7

Thesis
S7

Library
U. S. Naval Postgraduate School
Annapolis, Md.

DUDLEY KNOX LIBRARY
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CALIFORNIA 93943-5002

STABILIZATION OF CLAY SOILS	26
BY ELECTRICAL METHODS	3
Author	4
Editor	5
Reading	8
William B. Stephenson	11
Lieutenant (j.g.), OEC, USN	12
Committee	13
Chairman	14
Members	15
Secretary	16
Advisors	17

Presented as partial fulfillment of the
 requirement for the degree of
 Master of Civil Engineering
 Rensselaer Polytechnic Institute
 Troy, New York

August 1948

THE
THE

THE
37

THE
THE

THE
THE
THE
THE
THE

THE

CONTENTS

	<u>Page</u>
Acknowledgment	1
Letter of Transmittal	2
Foreword	4
Introduction	5
Theory	6
Apparatus	11
Procedure	12
Experiment 1	14
Experiment 2	16
Experiment 3	17
Conclusions	18
Appendix	21

ACKNOWLEDGMENT

The author wishes to thank Professors E. J. Kilcawley and S. V. Best for their help and guidance during the experimental work and subsequent evaluation of results.

1. The following information is being furnished to you for your information and is not to be used for any other purpose.

2. The information is being furnished to you for your information and is not to be used for any other purpose.

3. The information is being furnished to you for your information and is not to be used for any other purpose.

4. The information is being furnished to you for your information and is not to be used for any other purpose.

5. The information is being furnished to you for your information and is not to be used for any other purpose.

LETTER OF TRANSMITTAL

6. The information is being furnished to you for your information and is not to be used for any other purpose.

7. The information is being furnished to you for your information and is not to be used for any other purpose.

7 Hudson Avenue,
Green Island, New York.
August 30, 1948.

Faculty,
Civil Engineering Department,
Rensselaer Polytechnic Institute,
Troy, New York.

Gentlemen:

As partial fulfillments for the requirements for the degree of Master of Civil Engineering, I have the honor of submitting this thesis for your approval. It is hoped that the results of this investigation will be of value to future investigators.

I should like to express my appreciation for the knowledge and guidance that you have bestowed upon me during my stay at Rensselaer.

FOREWORD

This thesis is a continuation of the thesis presented by Lieutenant W. J. Christensen, CEC, USN, in June 1948.

In the previous experimentation by Lieut. Christensen and myself, many avenues of investigation were opened. Some of them appeared conventional and others completely contrary to existing theories. No attempt can be made to explain these phenomena until much more information is available.


INTRODUCTION

As previous experimentation had given positive results from electrical treatment of clay using aluminum electrodes, it was decided to continue these experiments over a longer period of time to determine what cations were driven off, and the final liquid and plastic limits after treatment. There is one limitation. The cations present in the original clay sample are unknown. However, it seems plausible that should more than one type of cation be present, each type would be replaced in the inverse order of its attraction to the charged clay particle. Since the replaced cations are carried off in the water collected at the cathode, periodic analysis of this water will indicate which cations are replaced.

Further investigation is to be carried on using magnesium electrodes on previously treated clay to determine the effects of this metal both on the cations carried off in the cathode water and the plastic and liquid limits of the clay. The final investigation is to be similar but copper electrodes are to be used on untreated clay.

THEORY

The theory of base cation exchange is based primarily on the Helmholtz concept of the electric double layer around the colloidal particle, which states that "the potential is higher the greater the number of electric charges on the surface and the larger the average distance of the outer layer from the inner". In other words, the clay particle is electro-statically charged either positively or negatively. Assume the particle is negatively charged. The water molecules, being dipoles, are attracted to the particle with their positive end toward the particle. In addition, any cations present will also be attracted to this molecule.




From this we see that multivalent cations will neutralize more of these static charges than the lower valence cations and therefore release some of the adsorbed water.


Looking further into the theory, we find two types of adsorbed water. First there is the broken-bond water which is adsorbed through orientation of the water molecules by the free bonds of Al, Si, or O ions on the exposed edges of a broken crystal lattice. This type of adsorption is considered relatively strong. Second, there is planar water which is that adsorbed by the unsaturated valences or free electric fields on the surface of the sheets of the crystal lattice. Such water is loosely held and is easily expelled at low temperatures. This type

of water dominates over the broken-bond form.

The first type is of the greatest interest in permanent stabilization, for if the broken crystal lattice can be filled out, then the strongly held water can be permanently driven out of the clay. Assume we have a kaolinite clay with a normal crystal lattice as shown.




If now, the free bonds where the lattice is broken are satisfied, that is, if the structure is filled out or bonded to another lattice structure, part of the static electrical charge will be removed from the clay particle. This in turn will eliminate the broken-bond water. A possible "satisfied" structure is shown.




To get rid of the loosely held planar water, it is necessary to link the clay particles together. Complete dehydration is visualized as effecting a union of the clay micelles through oxygen

linkages as water is driven off from the OH groupings in the surface. When this type of cementation takes place, the system is very slowly reversible and the rehydration of clay increases slowly with time.



Still another method can be visualized. If a colloid, such as aluminum hydroxide or iron hydroxide, is dehydrated between the clay particles, the colloid acts as a cementing agent binding the clay particles together. The dehydration of the aluminum hydroxide or iron hydroxide is almost completely irreversible.



In recent experiments, Preece has found indications that clay particles normally charged negatively may become positively charged

when in the influence of an electric field. This brings forth the possibility that anions as well as cations may be involved in stabilization processes.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

CONTENTS

- (1) Introduction
- (2) General description of the project
- (3) Results of the project
- (4) Conclusions
- (5) References
- (6) Appendixes
- (7) Summary
- (8) Acknowledgements
- (9) Distribution statement
- (10) Report number

REPORT

APPARATUS

- (a.) Power supply - 110 v. DC, 3300 watts
- (b.) Weston DC Ammeter, 25 amp capacity
- (c.) Weston DC Voltmeter, 150 volts capacity
- (d.) Test boxes 2' by 6" by 12" inside dimensions
- (e.) Standard liquid limit apparatus
- (f.) Graduated cylinders, 1000 ml.
- (g.) Aluminum electrodes, 0.102 ga. annealed
- (h.) Magnesium electrodes
- (i.) Copper electrodes

- (1) The first part of the paper is devoted to a study of the properties of the function $f(x)$ defined by the equation $f(x) = \sum_{n=0}^{\infty} a_n x^n$, where a_n are the coefficients of the power series.
- (2) In the second part, we consider the function $g(x)$ defined by the equation $g(x) = \sum_{n=0}^{\infty} b_n x^n$, where b_n are the coefficients of the power series.
- (3) The third part of the paper is devoted to a study of the properties of the function $h(x)$ defined by the equation $h(x) = \sum_{n=0}^{\infty} c_n x^n$, where c_n are the coefficients of the power series.
- (4) In the fourth part, we consider the function $k(x)$ defined by the equation $k(x) = \sum_{n=0}^{\infty} d_n x^n$, where d_n are the coefficients of the power series.
- (5) The fifth part of the paper is devoted to a study of the properties of the function $l(x)$ defined by the equation $l(x) = \sum_{n=0}^{\infty} e_n x^n$, where e_n are the coefficients of the power series.
- (6) In the sixth part, we consider the function $m(x)$ defined by the equation $m(x) = \sum_{n=0}^{\infty} f_n x^n$, where f_n are the coefficients of the power series.
- (7) The seventh part of the paper is devoted to a study of the properties of the function $n(x)$ defined by the equation $n(x) = \sum_{n=0}^{\infty} g_n x^n$, where g_n are the coefficients of the power series.
- (8) In the eighth part, we consider the function $o(x)$ defined by the equation $o(x) = \sum_{n=0}^{\infty} h_n x^n$, where h_n are the coefficients of the power series.
- (9) The ninth part of the paper is devoted to a study of the properties of the function $p(x)$ defined by the equation $p(x) = \sum_{n=0}^{\infty} i_n x^n$, where i_n are the coefficients of the power series.
- (10) In the tenth part, we consider the function $q(x)$ defined by the equation $q(x) = \sum_{n=0}^{\infty} j_n x^n$, where j_n are the coefficients of the power series.

PROCEDURE FOR EXPERIMENTS 1, 2, and 3

The clay sample was mixed with water to form a thick slurry, and then poured into the test boxes around perforated electrodes which served also as well points. The electric voltage was applied to the electrodes and maintained as nearly constant at 110 v as possible.

Water which migrated to the cathode was continuously drained off and collected for determination of cation content. Fresh water was introduced at the anode to maintain an abundant supply at all times. Treatment was intermittent of necessity but the clay was never allowed to dry out.

At the completion of the experiment, the liquid and plastic limits of samples from both the anode and cathode were obtained.

The procedure for determination of cations present in the water sample is as follows:

1. Measure out 50 ml. sample.
2. Make alkaline with NH_4OH . A white precipitate shows presence of aluminum cations. If precipitate forms remove by filtration.
3. Neutralize to litmus with HCl . Add $\frac{1}{2}$ gm. of ammonium oxalate. Make solution alkaline with NH_4OH . A white precipitate shows presence of calcium. If precipitate forms remove by filtration.
4. Add 1 gm. of ammonium-acid-phosphate $(\text{NH}_4)_2\text{HPO}_4$ plus $1/5$ of the volume of NH_4OH .

Published weekly, except the last two issues which are published bi-monthly, at \$5.00 per annum in advance. Single copies 15 cents. Entered as second-class matter, October 3, 1917, under post office number 252,000, at Chicago, Ill., under special agreement of post office. Accepted for mailing at special rate of postage provided for in Act of October 3, 1917, authorized on July 16, 1918. Postage paid at Chicago, Ill., and at additional mailing offices. Postmaster: Send address changes in full to JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION, 535 North Dearborn Street, Chicago 10, Ill.

Subscription prices: Single copies, 15 cents; 12 issues, \$5.00; 24 issues, \$9.50; 36 issues, \$14.00; 48 issues, \$18.50; 60 issues, \$23.00; 72 issues, \$27.50; 84 issues, \$32.00; 96 issues, \$36.50; 108 issues, \$41.00; 120 issues, \$45.50; 132 issues, \$50.00; 144 issues, \$54.50; 156 issues, \$59.00; 168 issues, \$63.50; 180 issues, \$68.00; 192 issues, \$72.50; 204 issues, \$77.00; 216 issues, \$81.50; 228 issues, \$86.00; 240 issues, \$90.50; 252 issues, \$95.00; 264 issues, \$99.50; 276 issues, \$104.00; 288 issues, \$108.50; 300 issues, \$113.00; 312 issues, \$117.50; 324 issues, \$122.00; 336 issues, \$126.50; 348 issues, \$131.00; 360 issues, \$135.50; 372 issues, \$140.00; 384 issues, \$144.50; 396 issues, \$149.00; 408 issues, \$153.50; 420 issues, \$158.00; 432 issues, \$162.50; 444 issues, \$167.00; 456 issues, \$171.50; 468 issues, \$176.00; 480 issues, \$180.50; 492 issues, \$185.00; 504 issues, \$189.50; 516 issues, \$194.00; 528 issues, \$198.50; 540 issues, \$203.00; 552 issues, \$207.50; 564 issues, \$212.00; 576 issues, \$216.50; 588 issues, \$221.00; 600 issues, \$225.50; 612 issues, \$230.00; 624 issues, \$234.50; 636 issues, \$239.00; 648 issues, \$243.50; 660 issues, \$248.00; 672 issues, \$252.50; 684 issues, \$257.00; 696 issues, \$261.50; 708 issues, \$266.00; 720 issues, \$270.50; 732 issues, \$275.00; 744 issues, \$279.50; 756 issues, \$284.00; 768 issues, \$288.50; 780 issues, \$293.00; 792 issues, \$297.50; 804 issues, \$302.00; 816 issues, \$306.50; 828 issues, \$311.00; 840 issues, \$315.50; 852 issues, \$320.00; 864 issues, \$324.50; 876 issues, \$329.00; 888 issues, \$333.50; 900 issues, \$338.00; 912 issues, \$342.50; 924 issues, \$347.00; 936 issues, \$351.50; 948 issues, \$356.00; 960 issues, \$360.50; 972 issues, \$365.00; 984 issues, \$369.50; 996 issues, \$374.00; 1008 issues, \$378.50; 1020 issues, \$383.00; 1032 issues, \$387.50; 1044 issues, \$392.00; 1056 issues, \$396.50; 1068 issues, \$401.00; 1080 issues, \$405.50; 1092 issues, \$410.00; 1104 issues, \$414.50; 1116 issues, \$419.00; 1128 issues, \$423.50; 1140 issues, \$428.00; 1152 issues, \$432.50; 1164 issues, \$437.00; 1176 issues, \$441.50; 1188 issues, \$446.00; 1200 issues, \$450.50; 1212 issues, \$455.00; 1224 issues, \$459.50; 1236 issues, \$464.00; 1248 issues, \$468.50; 1260 issues, \$473.00; 1272 issues, \$477.50; 1284 issues, \$482.00; 1296 issues, \$486.50; 1308 issues, \$491.00; 1320 issues, \$495.50; 1332 issues, \$500.00; 1344 issues, \$504.50; 1356 issues, \$509.00; 1368 issues, \$513.50; 1380 issues, \$518.00; 1392 issues, \$522.50; 1404 issues, \$527.00; 1416 issues, \$531.50; 1428 issues, \$536.00; 1440 issues, \$540.50; 1452 issues, \$545.00; 1464 issues, \$549.50; 1476 issues, \$554.00; 1488 issues, \$558.50; 1500 issues, \$563.00; 1512 issues, \$567.50; 1524 issues, \$572.00; 1536 issues, \$576.50; 1548 issues, \$581.00; 1560 issues, \$585.50; 1572 issues, \$590.00; 1584 issues, \$594.50; 1596 issues, \$599.00; 1608 issues, \$603.50; 1620 issues, \$608.00; 1632 issues, \$612.50; 1644 issues, \$617.00; 1656 issues, \$621.50; 1668 issues, \$626.00; 1680 issues, \$630.50; 1692 issues, \$635.00; 1704 issues, \$639.50; 1716 issues, \$644.00; 1728 issues, \$648.50; 1740 issues, \$653.00; 1752 issues, \$657.50; 1764 issues, \$662.00; 1776 issues, \$666.50; 1788 issues, \$671.00; 1800 issues, \$675.50; 1812 issues, \$680.00; 1824 issues, \$684.50; 1836 issues, \$689.00; 1848 issues, \$693.50; 1860 issues, \$698.00; 1872 issues, \$702.50; 1884 issues, \$707.00; 1896 issues, \$711.50; 1908 issues, \$716.00; 1920 issues, \$720.50; 1932 issues, \$725.00; 1944 issues, \$729.50; 1956 issues, \$734.00; 1968 issues, \$738.50; 1980 issues, \$743.00; 1992 issues, \$747.50; 2004 issues, \$752.00; 2016 issues, \$756.50; 2028 issues, \$761.00; 2040 issues, \$765.50; 2052 issues, \$770.00; 2064 issues, \$774.50; 2076 issues, \$779.00; 2088 issues, \$783.50; 2100 issues, \$788.00; 2112 issues, \$792.50; 2124 issues, \$797.00; 2136 issues, \$801.50; 2148 issues, \$806.00; 2160 issues, \$810.50; 2172 issues, \$815.00; 2184 issues, \$819.50; 2196 issues, \$824.00; 2208 issues, \$828.50; 2220 issues, \$833.00; 2232 issues, \$837.50; 2244 issues, \$842.00; 2256 issues, \$846.50; 2268 issues, \$851.00; 2280 issues, \$855.50; 2292 issues, \$860.00; 2304 issues, \$864.50; 2316 issues, \$869.00; 2328 issues, \$873.50; 2340 issues, \$878.00; 2352 issues, \$882.50; 2364 issues, \$887.00; 2376 issues, \$891.50; 2388 issues, \$896.00; 2400 issues, \$900.50; 2412 issues, \$905.00; 2424 issues, \$909.50; 2436 issues, \$914.00; 2448 issues, \$918.50; 2460 issues, \$923.00; 2472 issues, \$927.50; 2484 issues, \$932.00; 2496 issues, \$936.50; 2508 issues, \$941.00; 2520 issues, \$945.50; 2532 issues, \$950.00; 2544 issues, \$954.50; 2556 issues, \$959.00; 2568 issues, \$963.50; 2580 issues, \$968.00; 2592 issues, \$972.50; 2604 issues, \$977.00; 2616 issues, \$981.50; 2628 issues, \$986.00; 2640 issues, \$990.50; 2652 issues, \$995.00; 2664 issues, \$999.50; 2676 issues, \$1004.00; 2688 issues, \$1008.50; 2700 issues, \$1013.00; 2712 issues, \$1017.50; 2724 issues, \$1022.00; 2736 issues, \$1026.50; 2748 issues, \$1031.00; 2760 issues, \$1035.50; 2772 issues, \$1040.00; 2784 issues, \$1044.50; 2796 issues, \$1049.00; 2808 issues, \$1053.50; 2820 issues, \$1058.00; 2832 issues, \$1062.50; 2844 issues, \$1067.00; 2856 issues, \$1071.50; 2868 issues, \$1076.00; 2880 issues, \$1080.50; 2892 issues, \$1085.00; 2904 issues, \$1089.50; 2916 issues, \$1094.00; 2928 issues, \$1098.50; 2940 issues, \$1103.00; 2952 issues, \$1107.50; 2964 issues, \$1112.00; 2976 issues, \$1116.50; 2988 issues, \$1121.00; 3000 issues, \$1125.50; 3012 issues, \$1130.00; 3024 issues, \$1134.50; 3036 issues, \$1139.00; 3048 issues, \$1143.50; 3060 issues, \$1148.00; 3072 issues, \$1152.50; 3084 issues, \$1157.00; 3096 issues, \$1161.50; 3108 issues, \$1166.00; 3120 issues, \$1170.50; 3132 issues, \$1175.00; 3144 issues, \$1179.50; 3156 issues, \$1184.00; 3168 issues, \$1188.50; 3180 issues, \$1193.00; 3192 issues, \$1197.50; 3204 issues, \$1202.00; 3216 issues, \$1206.50; 3228 issues, \$1211.00; 3240 issues, \$1215.50; 3252 issues, \$1220.00; 3264 issues, \$1224.50; 3276 issues, \$1229.00; 3288 issues, \$1233.50; 3300 issues, \$1238.00; 3312 issues, \$1242.50; 3324 issues, \$1247.00; 3336 issues, \$1251.50; 3348 issues, \$1256.00; 3360 issues, \$1260.50; 3372 issues, \$1265.00; 3384 issues, \$1269.50; 3396 issues, \$1274.00; 3408 issues, \$1278.50; 3420 issues, \$1283.00; 3432 issues, \$1287.50; 3444 issues, \$1292.00; 3456 issues, \$1296.50; 3468 issues, \$1301.00; 3480 issues, \$1305.50; 3492 issues, \$1310.00; 3504 issues, \$1314.50; 3516 issues, \$1319.00; 3528 issues, \$1323.50; 3540 issues, \$1328.00; 3552 issues, \$1332.50; 3564 issues, \$1337.00; 3576 issues, \$1341.50; 3588 issues, \$1346.00; 3600 issues, \$1350.50; 3612 issues, \$1355.00; 3624 issues, \$1359.50; 3636 issues, \$1364.00; 3648 issues, \$1368.50; 3660 issues, \$1373.00; 3672 issues, \$1377.50; 3684 issues, \$1382.00; 3696 issues, \$1386.50; 3708 issues, \$1391.00; 3720 issues, \$1395.50; 3732 issues, \$1400.00; 3744 issues, \$1404.50; 3756 issues, \$1409.00; 3768 issues, \$1413.50; 3780 issues, \$1418.00; 3792 issues, \$1422.50; 3804 issues, \$1427.00; 3816 issues, \$1431.50; 3828 issues, \$1436.00; 3840 issues, \$1440.50; 3852 issues, \$1445.00; 3864 issues, \$1449.50; 3876 issues, \$1454.00; 3888 issues, \$1458.50; 3900 issues, \$1463.00; 3912 issues, \$1467.50; 3924 issues, \$1472.00; 3936 issues, \$1476.50; 3948 issues, \$1481.00; 3960 issues, \$1485.50; 3972 issues, \$1490.00; 3984 issues, \$1494.50; 3996 issues, \$1499.00; 4008 issues, \$1503.50; 4020 issues, \$1508.00; 4032 issues, \$1512.50; 4044 issues, \$1517.00; 4056 issues, \$1521.50; 4068 issues, \$1526.00; 4080 issues, \$1530.50; 4092 issues, \$1535.00; 4104 issues, \$1539.50; 4116 issues, \$1544.00; 4128 issues, \$1548.50; 4140 issues, \$1553.00; 4152 issues, \$1557.50; 4164 issues, \$1562.00; 4176 issues, \$1566.50; 4188 issues, \$1571.00; 4200 issues, \$1575.50; 4212 issues, \$1580.00; 4224 issues, \$1584.50; 4236 issues, \$1589.00; 4248 issues, \$1593.50; 4260 issues, \$1598.00; 4272 issues, \$1602.50; 4284 issues, \$1607.00; 4296 issues, \$1611.50; 4308 issues, \$1616.00; 4320 issues, \$1620.50; 4332 issues, \$1625.00; 4344 issues, \$1629.50; 4356 issues, \$1634.00; 4368 issues, \$1638.50; 4380 issues, \$1643.00; 4392 issues, \$1647.50; 4404 issues, \$1652.00; 4416 issues, \$1656.50; 4428 issues, \$1661.00; 4440 issues, \$1665.50; 4452 issues, \$1670.00; 4464 issues, \$1674.50; 4476 issues, \$1679.00; 4488 issues, \$1683.50; 4500 issues, \$1688.00; 4512 issues, \$1692.50; 4524 issues, \$1697.00; 4536 issues, \$1701.50; 4548 issues, \$1706.00; 4560 issues, \$1710.50; 4572 issues, \$1715.00; 4584 issues, \$1719.50; 4596 issues, \$1724.00; 4608 issues, \$1728.50; 4620 issues, \$1733.00; 4632 issues, \$1737.50; 4644 issues, \$1742.00; 4656 issues, \$1746.50; 4668 issues, \$1751.00; 4680 issues, \$1755.50; 4692 issues, \$1760.00; 4704 issues, \$1764.50; 4716 issues, \$1769.00; 4728 issues, \$1773.50; 4740 issues, \$1778.00; 4752 issues, \$1782.50; 4764 issues, \$1787.00; 4776 issues, \$1791.50; 4788 issues, \$1796.00; 4800 issues, \$1800.50; 4812 issues, \$1805.00; 4824 issues, \$1809.50; 4836 issues, \$1814.00; 4848 issues, \$1818.50; 4860 issues, \$1823.00; 4872 issues, \$1827.50; 4884 issues, \$1832.00; 4896 issues, \$1836.50; 4908 issues, \$1841.00; 4920 issues, \$1845.50; 4932 issues, \$1850.00; 4944 issues, \$1854.50; 4956 issues, \$1859.00; 4968 issues, \$1863.50; 4980 issues, \$1868.00; 4992 issues, \$1872.50; 5004 issues, \$1877.00; 5016 issues, \$1881.50; 5028 issues, \$1886.00; 5040 issues, \$1890.50; 5052 issues, \$1895.00; 5064 issues, \$1899.50; 5076 issues, \$1904.00; 5088 issues, \$1908.50; 5100 issues, \$1913.00; 5112 issues, \$1917.50; 5124 issues, \$1922.00; 5136 issues, \$1926.50; 5148 issues, \$1931.00; 5160 issues, \$1935.50; 5172 issues, \$1940.00; 5184 issues, \$1944.50; 5196 issues, \$1949.00; 5208 issues, \$1953.50; 5220 issues, \$1958.00; 5232 issues, \$1962.50; 5244 issues, \$1967.00; 5256 issues, \$1971.50; 5268 issues, \$1976.00; 5280 issues, \$1980.50; 5292 issues, \$1985.00; 5304 issues, \$1989.50; 5316 issues, \$1994.00; 5328 issues, \$1998.50; 5340 issues, \$2003.00; 5352 issues, \$2007.50; 5364 issues, \$2012.00; 5376 issues, \$2016.50; 5388 issues, \$2021.00; 5400 issues, \$2025.50; 5412 issues, \$2030.00; 5424 issues, \$2034.50; 5436 issues, \$2039.00; 5448 issues, \$2043.50; 5460 issues, \$2048.00; 5472 issues, \$2052.50; 5484 issues, \$2057.00; 5496 issues, \$2061.50; 5508 issues, \$2066.00; 5520 issues, \$2070.50; 5532 issues, \$2075.00; 5544 issues, \$2079.50; 5556 issues, \$2084.00; 5568 issues, \$2088.50; 5580 issues, \$2093.00; 5592 issues, \$2097.50; 5604 issues, \$2102.00; 5616 issues, \$2106.50; 5628 issues, \$2111.00; 5640 issues, \$2115.50; 5652 issues, \$2120.00; 5664 issues, \$2124.50; 5676 issues, \$2129.00; 5688 issues, \$2133.50; 5700 issues, \$2138.00; 5712 issues, \$2142.50; 5724 issues, \$2147.00; 5736 issues, \$2151.50; 5748 issues, \$2156.00; 5760 issues, \$2160.50; 5772 issues, \$2165.00; 5784 issues, \$2169.50; 5796 issues, \$2174.00; 5808 issues, \$2178.50; 5820 issues, \$2183.00; 5832 issues, \$2187.50; 5844 issues, \$2192.00; 5856 issues, \$2196.50; 5868 issues, \$2201.00; 5880 issues, \$2205.50; 5892 issues, \$2210.00; 5904 issues, \$2214.50; 5916 issues, \$2219.00; 5928 issues, \$2223.50; 5940 issues, \$2228.00; 5952 issues, \$2232.50; 5964 issues, \$2237.00; 5976 issues, \$2241.50; 5988 issues, \$2246.00; 6000 issues, \$2250.50; 6012 issues, \$2255.00; 6024 issues, \$2259.50; 6036 issues, \$2264.00; 6048 issues, \$2268.50; 6060 issues, \$2273.00; 6072 issues, \$2277.50; 6084 issues, \$2282.00; 6096 issues, \$2286.50; 6108 issues, \$2291.00; 6120 issues, \$2295.50; 6132 issues, \$2300.00; 6144 issues, \$2304.50; 6156 issues, \$2309.00; 6168 issues, \$2313.50; 6180 issues, \$2318.00; 6192 issues, \$2322.50; 6204 issues, \$2327.00; 6216 issues, \$2331.50; 6228 issues, \$2336.00; 6240 issues, \$2340.50; 6252 issues, \$2345.00; 6264 issues, \$2349.50; 6276 issues, \$2354.00; 6288 issues, \$2358.50; 6300 issues, \$2363.00; 6312 issues, \$2367.50; 6324 issues, \$2372.00; 6336 issues, \$2376.50; 6348 issues, \$2381.00; 6360 issues, \$2385.50; 6372 issues, \$2390.00; 6384 issues, \$2394.50; 6396 issues, \$2399.00; 6408 issues, \$2403.50; 6420 issues, \$2408.00; 6432 issues, \$2412.50; 6444 issues, \$2417.00; 6456 issues, \$2421.50; 6468 issues, \$2426.00; 6480 issues, \$2430.50; 6492 issues, \$2435.00; 6504 issues, \$2439.50; 6516 issues, \$2444.00; 6528 issues, \$2448.50; 6540 issues, \$2453.00; 6552 issues, \$2457.50; 6564 issues, \$2462.00; 6576 issues, \$2466.50; 6588 issues, \$2471.00; 6600 issues, \$2475.50; 6612 issues, \$2480.00; 6624 issues, \$2484.50; 6636 issues, \$2489.00; 6648 issues, \$2493.50; 6660 issues, \$2498.00; 6672 issues, \$2502.50; 6684 issues, \$2507.00; 6696 issues, \$2511.50; 6708 issues, \$2516.00; 6720 issues, \$2520.50; 6732 issues, \$2525.00; 6744 issues, \$2529.50; 6756 issues, \$2534.00; 6768 issues, \$2538.50; 6780 issues, \$2543.00; 6792 issues, \$2547.50; 6804 issues, \$2552.00; 6816 issues, \$2556.50; 6828 issues, \$2561.00; 6840 issues, \$2565.50; 6852 issues, \$2570.00; 6864 issues, \$2574.50; 6876 issues, \$2579.00; 6888 issues, \$2583.50; 6900 issues, \$2588.00; 6912 issues, \$2592.50; 6924 issues, \$2597.00; 6936 issues, \$2601.50; 6948 issues, \$2606.00; 6960 issues, \$2610.50; 6972 issues, \$2615.00; 6984 issues, \$2619.50; 6996 issues, \$2624.00; 7008 issues, \$2628.50; 7020 issues, \$2633.00; 7032 issues, \$2637.50; 7044 issues, \$2642.00; 7056 issues, \$2646.50; 7068 issues, \$2651.00; 7080 issues, \$2655.50; 7092 issues, \$2660.00; 7104 issues, \$2664.50; 7116 issues, \$2669.00; 7128 issues, \$2673.50; 7140 issues, \$2678.00; 7152 issues, \$2682.50; 7164 issues, \$2687.00; 7176 issues, \$2691.50; 7188 issues, \$2696.00; 7200 issues, \$2700.50; 7212 issues, \$2705.00; 7224 issues, \$2709.50; 7236 issues, \$2714.00; 7248 issues, \$2718.50; 7260 issues, \$2723.00; 7272 issues, \$2727.50; 7284 issues, \$2732.00; 7296 issues, \$2736.50; 7308 issues, \$2741.00; 7320 issues, \$2745.50; 7332 issues, \$2750.00; 7344 issues, \$2754.50; 7356 issues, \$2759.00; 7368 issues, \$2763.50; 7380 issues, \$2768.00; 7392 issues, \$2772.50; 7404 issues, \$2777.00; 7416 issues, \$2781.50; 7428 issues, \$2786.00; 7440 issues, \$2790.50; 7452 issues, \$2795.00; 7464 issues, \$2799.50; 7476 issues, \$2804.00; 7488 issues, \$2808.50; 7500 issues, \$2813.00; 7512 issues, \$2817.50; 7524 issues, \$2822.00; 7536 issues, \$2826.50; 7548 issues, \$2831.00; 7560 issues, \$2835.50; 7572 issues, \$2840.00; 7584 issues, \$2844.50; 7596 issues, \$2849.00; 7608 issues, \$2853.50; 7620 issues, \$2858.00; 7632 issues, \$2862.50; 7644 issues, \$2867.00; 7656 issues, \$2871.50; 7668 issues, \$2876.00; 7680 issues, \$2880.50; 7692 issues, \$2885.00; 7704 issues, \$2889.50; 7716 issues, \$2894.00; 7728 issues, \$2898.50; 7740 issues, \$2903.00; 7752 issues, \$2907.50; 7764 issues, \$2912.00; 7776 issues, \$2916.50; 7788 issues, \$2921.00; 7800 issues, \$2925.50; 7812 issues, \$2930.00; 7824 issues, \$2934.50; 7836 issues, \$2939.00; 7848 issues, \$2943.50; 7860 issues, \$2948.00; 7872 issues, \$2952.50; 7884 issues, \$2957.00; 7896 issues, \$2961.50; 7908 issues, \$2966.00; 7920 issues, \$2970.50; 7932 issues, \$2975.00; 7944 issues, \$2979.50; 7956 issues, \$2984.00; 7968 issues, \$2988.50; 7980 issues, \$2993.00; 7992 issues, \$2997.50; 8004 issues, \$3002.00; 8016 issues, \$3006.50; 8028 issues, \$3011.00; 8040 issues, \$3015.50; 8052 issues, \$3020.00; 8064 issues, \$3024.50; 8076 issues, \$3029.00; 8088 issues, \$3033.50; 8100 issues, \$3038.00; 8112 issues, \$3042.50; 8124 issues, \$3047.00; 8136 issues, \$3051.50; 8148 issues, \$3056.00; 8160 issues, \$3060.50; 8172 issues, \$3065.00; 8184 issues, \$3069.50; 8196 issues, \$3074.00; 8208 issues, \$3078.50; 8220 issues, \$3083.00; 8232 issues, \$3087.50; 8244 issues, \$3092.00; 8256 issues, \$3096.50; 8268 issues, \$3101.00; 8280 issues, \$3105.50; 8292 issues, \$3110.00; 8304 issues, \$3114.50; 8316 issues, \$3119.00; 8328 issues, \$3123.50; 8340 issues, \$3128.00; 8352 issues, \$3132.50; 8364 issues, \$3137.00; 8376 issues, \$3141.50; 8388 issues, \$3146.00; 8400 issues, \$3150.50; 8412 issues, \$3155.00; 8424 issues, \$3159.50; 8436 issues, \$3164.00; 8448 issues, \$3168.50; 8460 issues, \$3173.00; 8472 issues, \$3177.50; 8484 issues, \$3182.00; 8496 issues, \$3186.50; 8508 issues, \$3191.00; 8520 issues, \$3195.50; 8532 issues, \$3200.00; 8544 issues, \$3204.50; 8556 issues, \$3209.00; 8568 issues, \$3213.50; 8580 issues, \$3218.00; 8592 issues, \$3222.50; 8604 issues, \$3227.00; 8616 issues, \$3231.50; 8628 issues, \$3236.00; 8640 issues, \$3240.50; 8652 issues, \$3245.00; 8664 issues, \$3249.50; 8676 issues, \$3254.00; 8688 issues, \$3258.50; 8700 issues, \$3263.00; 8712 issues, \$3267.50; 8724 issues, \$3272.00; 8736 issues, \$3276.50; 8748 issues, \$3281.00; 8760 issues, \$3285.50; 8772 issues, \$3290.00; 8784 issues, \$3294.50; 8796 issues, \$3299.00; 8808 issues, \$3303.50; 8820 issues, \$3308.00; 8832 issues, \$3312.50; 8844 issues, \$3317.00; 8856 issues, \$3321.50; 8868 issues, \$3326.00; 8880 issues, \$3330.50; 8892 issues, \$3335.00; 8904 issues, \$3339.50; 8916 issues, \$3344.00; 8928 issues, \$3348.50; 8940 issues, \$3353.00; 8952 issues, \$3357.50; 8964 issues, \$3362.00; 8976 issues, \$3366.50; 8988 issues, \$3371.00; 9000 issues, \$3375.50; 9012 issues, \$3380.00; 9024 issues, \$3384.50; 9036 issues, \$3389.00; 9048 issues, \$3393.50; 9060 issues, \$3398.00; 9072 issues, \$3402.50; 9084 issues, \$3407.00; 9096 issues, \$3411.50; 9108 issues, \$3416.00; 9120 issues, \$3420.50; 9132 issues, \$3425.00; 9144 issues, \$3429.50; 9156 issues, \$3434.00; 9168 issues, \$3438.50; 9180 issues, \$3443.00; 9192 issues, \$3447.50; 9204 issues, \$3452.00; 9216 issues, \$3456.50; 9228 issues, \$3461.00; 9240 issues, \$3465.50; 9252 issues, \$3470.00; 9264 issues, \$3474.50; 9276 issues, \$3479.00; 9288 issues, \$3483.50; 9300 issues, \$3488.00; 9312 issues, \$3492.50; 9324 issues, \$3497.00; 93

Allow to stand one hour. A white precipitate shows presence of magnesium. If precipitate forms, remove by filtration.

5. Using the filtrate from the above test, a standard qualitative analysis for potassium and sodium cations was made. In addition, a flame test for these two cations was made.

The PH of all samples was determined by the Beckman PH meter before chemical analysis.

1870-1871

1871-1872

1872-1873

1873-1874

1874-1875

1875-1876

1876-1877

1877-1878

1878-1879

EXPERIMENT 1

In this experiment, perforated aluminum cylinders of about two inches diameter, fourteen inches long, and spaced twelve inches apart were used for electrodes. The clay slurry was poured around them to a depth of about ten inches. A drain hole was located below the center of the cathode.

After the current began to flow and the water started migrating to the cathode, fresh water was added at the anode to keep an abundant supply there at all times. The water collected at the cathode was analyzed about every twenty hours to determine the cation content and the PH. For about the first one hundred fifty hours the only cation present was calcium, which was quite plentiful. From about one hundred fifty hours to about two hundred twenty hours, a small amount of magnesium appeared. The calcium remained about the same. From two hundred twenty hours to two hundred forty hours, only calcium was present. At two hundred forty hours, the experiment was discontinued.

There were several things of note. First, in spite of the water supply at the anode, the clay shrank in volume causing shrinkage cracks which had to be filled in to keep the current flowing. As the experiment progressed, the clay became firmer, going into the plastic state. Second, toward the end of the experiment, no gas was given off at the anode but hydrogen still appeared at the cathode. Third, at the end of the experiment, the clay adjacent to the anode and cathode had a very granular appearance and feeling. Fourth, the aluminum electrodes had almost doubled their original weight due to scale which had formed on them.

The first question that arises in the mind of the reader is, what is the object of this book? The answer is, to show that the principles of the science of the mind are not only consistent with the principles of the science of nature, but that they are also consistent with the principles of the science of the human mind. The second question is, what is the scope of the book? The answer is, it is a general treatise on the science of the mind, and it is not intended to be a treatise on any particular branch of the science.

The third question is, what is the method of the book? The answer is, it is a philosophical method, and it is not intended to be a scientific method. The fourth question is, what is the language of the book? The answer is, it is a philosophical language, and it is not intended to be a scientific language. The fifth question is, what is the style of the book? The answer is, it is a philosophical style, and it is not intended to be a scientific style. The sixth question is, what is the result of the book? The answer is, it is a philosophical result, and it is not intended to be a scientific result. The seventh question is, what is the value of the book? The answer is, it is a philosophical value, and it is not intended to be a scientific value. The eighth question is, what is the use of the book? The answer is, it is a philosophical use, and it is not intended to be a scientific use. The ninth question is, what is the purpose of the book? The answer is, it is a philosophical purpose, and it is not intended to be a scientific purpose. The tenth question is, what is the meaning of the book? The answer is, it is a philosophical meaning, and it is not intended to be a scientific meaning.

The eleventh question is, what is the nature of the book? The answer is, it is a philosophical nature, and it is not intended to be a scientific nature. The twelfth question is, what is the object of the book? The answer is, it is a philosophical object, and it is not intended to be a scientific object. The thirteenth question is, what is the scope of the book? The answer is, it is a philosophical scope, and it is not intended to be a scientific scope. The fourteenth question is, what is the method of the book? The answer is, it is a philosophical method, and it is not intended to be a scientific method. The fifteenth question is, what is the language of the book? The answer is, it is a philosophical language, and it is not intended to be a scientific language. The sixteenth question is, what is the style of the book? The answer is, it is a philosophical style, and it is not intended to be a scientific style. The seventeenth question is, what is the result of the book? The answer is, it is a philosophical result, and it is not intended to be a scientific result. The eighteenth question is, what is the value of the book? The answer is, it is a philosophical value, and it is not intended to be a scientific value. The nineteenth question is, what is the use of the book? The answer is, it is a philosophical use, and it is not intended to be a scientific use. The twentieth question is, what is the purpose of the book? The answer is, it is a philosophical purpose, and it is not intended to be a scientific purpose. The twenty-first question is, what is the meaning of the book? The answer is, it is a philosophical meaning, and it is not intended to be a scientific meaning.

This scale consisted of both aluminum and calcium compounds but predominantly of aluminum compounds. Last, the water drained off at the cathode was very basic with a PH starting at 10.03 and ending up at 11.87.

The plastic and liquid limits of the clay were both increased as shown below:

At the anode:

	Plastic limit	Liquid limit
original clay	21.4%	31.2%
treated clay	25.7%	38.5%

At the cathode:

	Plastic limit	Liquid limit
original clay	21.4%	31.2%
treated clay	24.9%	40.3%

This report contains the results of the investigation of the
 activities of the "Black Legion" in the Chicago area during the
 year 1935. The report is based on information obtained from
 confidential informants and from the files of the Chicago
 Police Department.

The "Black Legion" is a secret organization of the
 Chicago Police Department.

The "Black Legion" is a secret organization of the
 Chicago Police Department.

The "Black Legion" is a secret organization of the
 Chicago Police Department.



CATHODE

ANODE

ALUMINUM


pH of water at Cathode
Aluminum Electrodes

Calcium
Cations Present

Calcium &
Magnesium
Cations Present

Calcium
Cations Present

Time in Hours



EXPERIMENT 2

The clay used in experiment 1 was air dried, pulverized, and mixed with water to form a thick slurry. Perforated cylindrical magnesium electrodes spaced twelve inches apart were placed into the test box and the clay poured around them. The current was turned on and fresh water supplied to the anode while water driven off was collected at the cathode. This water was analyzed for cation content at frequent intervals. The experiment lasted for forty-four hours with about one amp. of current flowing.

In this experiment the water supply at the anode was controlled more carefully and the top surface of the clay was frequently sprinkled to compensate for evaporation. Still the clay decreased in volume and shrinkage cracks appeared. However, the consolidation took place much more rapidly than in experiment 1.

Here again there are several things of note. First, throughout this experiment, hydrogen was given off at the cathode but no gas appeared at the anode. Second, the anode was eaten away but the cathode was untouched. Third, aluminum compounds were deposited at the anode. Last, the clay adjacent to the anode and cathode displayed a grainy texture.

The plastic and liquid limits of the clay were both increased as shown below:

At the anode:

	Plastic limit	Liquid limit
original clay	21.4%	31.2%
treated clay	24.5%	38.5%

At the cathode:

	Plastic limit	Liquid limit
original clay	21.4%	31.2%
treated clay	33.0%	53.7%




ANODE

CATHODE

MAGNESIUM

PH of water at Cathode
Magnesium Electrodes
on Clay previously treated
with Aluminum Electrodes

Calcium Cations
Present



EXPERIMENT 3

Perforated cylinders of annealed copper used as electrodes were placed twelve inches apart in the test box. A thick slurry of the original untreated clay was poured around them to a depth of about ten inches. The current was turned on and water was supplied to the anode. The water driven off at the cathode was collected and tested periodically. Throughout this experiment (forty six hours), hydrogen was given off at the cathode and a gas which had the odor of hydrogen sulphide was given off at the anode.

After several hours of treatment, the water at the anode became greenish blue in color and was acid with a PH as low as 5.0. Since fresh water was added at the anode, this PH varied.

After completion of this experiment, the electrodes were removed. The cathode was untouched but the anode was badly eaten away. The metal remaining was deep red in color and resembled red copper oxide. The clay at the anode was greenish in color except for the thin cylinder adjacent to the anode, which was deep red in color. At both electrodes the clay was of granular consistency.

The PH increased from 10.05 to 11.2 over a period of about forty hours.

The liquid and plastic limits increased as shown below:

At the anode:

	Plastic limit	Liquid limit
original clay	21.4%	31.2%
treated clay	26.8%	39.5%

At the cathode:

	Plastic limit	Liquid limit
original clay	21.4%	31.2%
treated clay	41.2%	56.5%




ANODE

CATHODE

COPPER

pH of water at Cathode
Copper Electrodes



CONCLUSIONS

The object of this series of experiments was to determine the cations driven off and the order in which they came off. In the first experiment, calcium cations were driven off first and later magnesium cations. In the second and third experiments, only the calcium cations were driven off. Little, if any, indication of the relative order of replacements of cations can be determined from these results. Indications are that this clay is saturated with calcium cations.

There are several phenomena which were apparent in each of the preceding experiments, some of which may tie in together. It is the author's opinion that they do.

Although the liquid and plastic limits of the clay were increased at both the cathode and the anode, the greatest increase by far was at the cathode. Coupled with this is the fact that there is a high concentration of OH ions at the cathode. This seems to indicate that the OH ions may in some way cause a change in the clay structure. In addition, a strong concentration of calcium was also present at the cathode. Here we have the factors which could cause the changes in the clay as indicated on pages 7, 8, and 9 of this work.

There is another interesting phenomenon which could tie in with those above. During almost all of the experimental work, little or no oxygen was observed coming off at the cathode. This may mean that the oxygen combined with the metal of the anode to form a metallic oxide, or it may have entered into the lattice structures of the clay. It is possible that both may occur.

Contrary to the hypothesis set forth by Lt. Christensen that the

stabilization takes place primarily by exchange of multivalent cations for cations of lower valence, it is felt that little, if any, stabilization is due to this. In an attempt to evaluate the results of these experiments and previous work by others, the following hypothesis of what takes place in the electrical treatment of this clay is submitted.

The electric current passing through the water adsorbed on the clay causes electrolysis of the water resulting in oxygen and hydrogen ions. Part of the oxygen freed in this manner finds its way to the anode where it oxidizes the metal of the anode. Another part may unite with the calcium ions released from the clay particles by the electric current which has partially neutralized the charge on the clay particle. This calcium oxide in the presence of water forms the calcium hydroxide which was present in all test samples. The calcium hydroxide is fairly insoluble and some of it precipitates out between the clay micelles acting as a weak cementing material. Still another part, if in ionic form, may be bonded into the lattice structure to fill out broken lattices.

Some of the hydrogen thus liberated passes off as a gas at the cathode. Some of it remains partially united with oxygen to form an hydroxyl ion which may also attach itself to the clay micelles to fill out the lattice structure. In the case of the aluminum cathode, it may be assumed that some of the aluminum is combined with the hydroxyl ion to form aluminum hydroxide which was found around the cathode. In the cases of both copper and magnesium, no such action took place.

It is felt that the increase in the liquid and plastic limits of clay is due primarily to three factors.

First by filling out broken lattice structures, the broken-bond water, which is bonded so tightly that it cannot be driven off at 120°K. and therefore does not show up in the moisture content of the clay, is released from the clay. This water provided part of the adsorbed film and its loss requires more planar water to obtain the same liquid and plastic limits.

Second, the forces produced by the flow of electric current may split the fundamental structural units into sheets or break them transversely, thereby creating additional surface forces which demand water (dipole) to satisfy. This additional water partially accounts for the increased liquid and plastic limits.

Third, the cementing material deposited between the clay particles, being a colloid, also has an affinity and demand for adsorbed water. This too adds to the increased water required to reach the liquid and plastic limits.

It is impossible to tie the results down to anything more than a hypothesis until the structure of the clay before and after treatment can be accurately determined. No attempt was made to evaluate these results by Jenny's Hypothesis because nothing is known about this clay structure or the adsorbed ions.

EXPERIMENT 1

Sample	V	I	Time(hrs.)	PH	Al	Ca	Mg	Na *	K
1	110	1.0	0	8.72	---	Trace	---	Trace	---
2	110	.9	6	10.03	---	Present	---	Trace	---
3	110	.6	17	10.88	---	Present	---	Trace	---
4	110	.4	23	10.65	---	Present	---	Trace	---
5	110	0.7	99	11.20	---	Present	---	Trace	---
6	113	0.5	121	11.35	---	Present	---	Trace	---
7	113	0.6	145	11.45	---	Present	Trace	Trace	---
8	113	0.5	169	11.50	---	Present	Present	Trace	---
9	110	0.6	193	11.47	---	Present	Present	Trace	---
10	110	0.7	200	11.62	---	Present	Present	Trace	---
11	110	0.6	213	11.82	---	Present	Present	Trace	---
12	113	0.6	221	11.75	---	Present	Trace	Trace	---
13	113	0.7	240	11.87	---	Present	Trace	Trace	---

* Presence of sodium indicated in flame test only.

Deposits at Anode.

Al	Ca	Mg	Na	K
Present	Present	None	None	None

Deposit was a soft white powdery substance reported by other experimenters as Bauxite.

Deposits at Cathode.

Al	Ca	Mg	Na	K
Present	Present	None	None	None

Deposit was a hard grey scale surrounded by soft jelly-like aluminum hydroxide.

Liquid and Plastic Limits

ANODE

Sample	Wt.of Cont.	Cont.& Wet Clay	Cont.& Dry Clay	Wt.of Dry Clay	Wt.of Water	% Moist.	No. Blows	L.L.
1	18.5240	25.5791	23.5140	4.9900	2.0651	41.3	13	38.5%
2	12.7668	18.3444	16.7890	4.0222	1.5554	38.7	23	
3	12.1154	18.0559	16.4465	4.3311	1.6094	38.0	35	
4	12.9975	17.8705	16.8737	3.8762	0.9968	25.7% = P.L.		

CATHODE

Sample	Wt.of Cont.	Cont.& Wet Clay	Cont.& Dry Clay	Wt.of Dry Clay	Wt.of Water	% Moist.	No. Blows	L.L.
5	12.1870	17.1634	15.6715	3.4845	1.4919	42.8	19	40.3%
6	11.5646	17.2536	15.6552	4.0906	1.5984	39.0	32	
7	11.8174	18.6766	16.7312	4.9138	1.9454	39.6	25	
8	12.2686	16.4713	15.6136	3.3450	0.8577	24.9% = P.L.		

Clay

treated with

Aluminum Electrodes

Liquid Limits

60


50

40

30

20

Percent Moisture



10

20

30

40

50

60

70


80

90

100

Logarithm of number of blows

After harvest
 growth is maximum
 during spring



could be maximum in spring

EXPERIMENT 2

Magnesium Electrodes - Analysis of water at cathode.

Sample	V	I	Time(hrs.)	PH	Al	Ca	Mg	Na	K
1	110	1.0	0	8.72	---	Trace	---	Trace	---
2	110	1.0	4	11.24	---	Present	---	Trace	---
3	110	0.9	8	11.34	---	Present	---	Trace	---
4	110	0.8	33	11.57	---	Present	---	Trace	---
5	110	0.8	44	11.83	---	Present	---	Trace	---

Liquid and Plastic Limits

ANODE

Sample	Wt.of Cont.	Cont.& Wet Clay	Cont.& Dry Clay	Wt.of Dry Clay	Wt.of Water	% Moist.	No. Blows	L.L.
9	12.4744	17.3481	16.0323	3.5579	1.3158	37	40	
10	19.2157	27.6597	25.2401	6.0244	2.4196	40.2	16	38.5%
11	12.8501	17.6515	16.3272	3.4771	1.3243	38.1	23	
12	19.6940	26.7873	25.3897	5.6957	1.3976	24.5% = P.L.		

CATHODE

Sample	Wt.of Cont.	Cont.& Wet Clay	Cont.& Dry Clay	Wt.of Dry Clay	Wt.of Water	% Moist.	No. Blows	L.L.
13	20.1950	27.7202	25.1850	4.9900	2.5352	50.8	32	
14	19.8453	27.2548	24.6417	4.7964	2.7131	56.5	26	53.7%
15	19.7224	27.9357	24.9843	5.2619	2.9514	56.1	12	
16	19.6261	24.1851	23.0551	3.4285	1.1300	33% = P.L.		

Clay
treated with
Magnesium Electrodes
Liquid Limits

60

50

40

30

20

10

Percent Moisture

Cathode

Anode

Logarithm of number of blows

100
90
80
70
60
50
40
30
20
10

EXPERIMENT 3

Copper Electrodes - Analysis of water at cathode.

Sample	V	I	Time(hrs.)	PH	Al	Ca	Mg	Na	K
1	110	1.0	0	8.72	---	Trace	---	Trace	---
2	110	0.7	14	10.05	---	Present	---	Trace	---
3	110	0.7	23	11.00	---	Present	---	Trace	---
4	110	0.6	35	11.05	---	Present	---	Trace	---
5	110	0.6	58	11.20	---	Present	---	Trace	---

Liquid and plastic limits

ANODE

Sample	Wt.of Cont.	Cont.& Wet Clay	Cont.& Dry Clay	Wt.of Dry Clay	Wt.of Water	% Moist.	No. Blows	L.L.
21	11.5646	17.2564	15.5510	3.9864	1.7054	42.2	15	
22	11.8174	16.7766	15.3738	3.5564	1.4028	39.4	25	39.5%
23	12.4744	18.2754	16.6773	4.2029	1.5981	38.0	35	
24	12.1870	16.2765	15.4181	3.2311	0.8584	26.8% = P.L.		

CATHODE

Sample	Wt.of Cont.	Cont.& Wet Clay	Cont.& Dry Clay	Wt.of Dry Clay	Wt.of Water	% Moist.	No. Blows	L.L.
17	12.7668	17.1881	15.6351	2.8683	1.5530	54.1	35	
18	12.1154	16.2836	14.7859	2.6705	1.4977	56.0	24	56.5%
19	12.2686	17.2946	15.3697	3.1011	1.9249	62.0	12	
20	12.9975	16.6557	15.5859	2.5884	1.0648	41.2% = P.L.		

Clay
treated with
Copper Electrodes
Liquid Limits



Percent Moisture

Logarithm of number of blows

polymer is washed or dried

0 10 20 30 40 50 60 70 80 90 100


0%

20%

40%

60%

80%



side of film
Carbon fiber
polyester with

BIBLIOGRAPHY

- Baver, L.D., "Soil Physics", 1940, John Wiley & Sons, Inc.
- Casagrande, Dr. L., "The Application of Electro-Osmosis to Practical Problems".
- Casagrande, Dr. L., "Electro-Osmosis", (Art. 1).
Translated from German in the Technical Services Division, Bureau of Yards and Docks.
- Christensen, W. J., "Preliminary Investigation of Clay Stabilization by Electro-Osmosis", Thesis, Rensselaer Polytechnic Institute, 1948.
- Endell, Dr. K., "Electro-Osmosis", (Art. 2). Translated from German in the Technical Services Division, Bureau of Yards and Docks.
- Endell, K. and Hoffman, U., "Electro-Chemical Hardening of Clay Soils". Proceedings International Conference of Soil Mechanics, Vol. 1, 1936.
- Endell, K. and Hoffman, U. "The Chemical Nature of Clays". Proceedings International Conference of Soil Mechanics, Vol. 1, 1936.
- Escobar, J. L., "Electrical Soil Drainage". School of Engineering, Princeton University.
- Hayes, Col. T. L., "Electrical Drainage in Sweden and Holland", Engineer Liaison Officer Report, London, England.
- Van Houten, L. E., "Preliminary Investigation of Electro-Chemical Method of Stabilization of Clay". Thesis, Rensselaer Polytechnic Institute, 1947.
- Winterkorn, M. F. "Theoretical Treatment of Electro-Osmotic Phenomena", Report, Bureau of Yards and Docks.

DATE DUE

[illegible]

18431

18431

Thesis

7479

S7

Stephenson


Stabilization of
clay soils by electri-
cal methods.

18431

18431

thes57

Stabilization of clay soils by electrica



3 2768 002 02269 1

DUDLEY KNOX LIBRARY